



**Autocar**  
let's develop together

—  
**SPECIALISTS**  
in  
**ROOF & DOOR**  
**SYSTEMS**



**LOKHEN**  
— GROUP





MEMBER OF  
**LOKHEN**  
GROUP

***LET'S DEVELOP TOGETHER.***



## ONE GROUP. THREE DIVISIONS. MANY SOLUTIONS.



# LOKHEN GROUP

*EXPERTISE. INNOVATION.  
SHARED VISION.*

**GB – Autocar joins Lokhen Group**, marking an important step in the Group's growth path. An evolution that expands industrial expertise, strengthens shared know-how, and consolidates the ability to offer increasingly comprehensive solutions for the reference sector.

Today, **Lokhen Group** brings together three specialized divisions, each with a strong identity and specific expertise, sharing the same values of quality, innovation, reliability, and customer focus.

#### OUR 3 DIVISIONS:

- >**LOKHEN**, specialized in the development of solutions for the **Truck & Trailer** sector.
- >**AUTOCAR**, specialized in the design and production of **roof systems, doors, and pillars** for industrial vehicles.
- >**LOKVAN**, dedicated to the development of innovative solutions for the **light commercial vehicle** industry.

Three divisions, integrated expertise and technologies in a single industrial partner, to offer advanced solutions and meet the demands of international markets.

**IT – Autocar entra a far parte di Lokhen Group**, segnando un importante passo nel percorso di crescita del Gruppo. Un'evoluzione che amplia le competenze industriali, rafforza il know-how condiviso e consolida la capacità di offrire soluzioni sempre più complete per il settore di riferimento.

Oggi **Lokhen Group** riunisce tre divisioni specializzate, ciascuna con una forte identità e competenze specifiche, condividendo gli stessi valori di qualità, innovazione, affidabilità e orientamento al cliente.

#### LE NOSTRE 3 DIVISIONI:

- >**LOKHEN**, specializzata nello sviluppo di soluzioni per il settore **Truck & Trailer**.
- >**AUTOCAR**, specializzata nella progettazione e produzione di **tetti, porte e piantoni** per veicoli industriali.
- >**LOKVAN**, dedicata allo sviluppo di soluzioni innovative per il mondo dei veicoli commerciali leggeri.

Tre divisioni, competenze e tecnologie integrate in un unico partner industriale, per offrire soluzioni evolute e rispondere alle esigenze dei mercati internazionali.

**DE – Autocar wird Teil der Lokhen Group** und markiert einen wichtigen Schritt auf dem Wachstumspfad der Gruppe. Eine Entwicklung, die die industriellen Kompetenzen erweitert, das gemeinsame Know-how stärkt und die Fähigkeit festigt, immer umfassendere Lösungen für die Referenzbranche anzubieten.

Heute vereint die **Lokhen Group** drei spezialisierte Divisionen, von denen jede über eine starke Identität und spezifische Kompetenzen verfügt und die gleichen Werte wie Qualität, Innovation, Zuverlässigkeit und Kundenorientierung teilt.

#### UNSERE 3 DIVISIONEN:

- >**LOKHEN**, spezialisiert auf die Entwicklung von Lösungen für den Bereich **Truck & Trailer**.
- >**AUTOCAR**, spezialisiert auf die Entwicklung und Herstellung von **Verdecken, Türen und Rungen** für Nutzfahrzeuge.
- >**LOKVAN**, gewidmet der Entwicklung innovativer Lösungen für die Welt der **leichten Nutzfahrzeuge**.

Drei Divisionen, integrierte Kompetenzen und Technologien in einem einzigen Industriepartner, um hochentwickelte Lösungen anzubieten und den Anforderungen internationaler Märkte gerecht zu werden.

# MADE IN AUTOCAR. OVER 60 YEARS OF EXCELLENCE.



**GB** – For over 60 years, Autocar has been a benchmark in the design and manufacture of **Roof, Door & Pillar Systems** for industrial vehicles. A journey built on technical expertise, reliability, and continuous innovation, which has allowed the company to establish itself as one of the leading players in the sector.

Throughout its history, **Autocar has developed a wealth of highly specialized know-how**, building a solid reputation and establishing partnerships with the leading OEMs in the market. This recognition has been earned thanks to the quality of the solutions offered, the ability to meet the most complex application requirements, and an approach oriented toward excellence.

**All our systems are tested and inspected** to guarantee products of the highest quality. Every product of ours is the result of the dedication that our team puts into every step of the production chain, starting from the selection of materials used, of the highest quality, to the care of the robust, compact packaging, easy to transport.



## PATENTED SOLUTION

Autocar know-how translates into patented solutions.



## MADE IN ITALY

Italian design and manufacture for over 60 years.



## CERTIFIED QUALITY

Selected materials, rigorous controls and testing on every system produced.

**IT** – Da oltre 60 anni, Autocar è un punto di riferimento nella progettazione e produzione di **Roof, Door & Pillar Systems** per veicoli industriali. Un percorso su competenza tecnica, affidabilità e innovazione continua, che ha permesso all'azienda di affermarsi come uno dei principali player del settore.

Nel corso della sua storia, **Autocar ha sviluppato un patrimonio di know-how altamente specializzato**, costruendo una solida reputazione e instaurando rapporti di collaborazione con i principali costruttori OEM del mercato. Un riconoscimento maturato grazie alla qualità delle soluzioni offerte, alla capacità di rispondere alle esigenze applicative più complesse e a un approccio orientato all'eccellenza.

**Tutti i nostri sistemi vengono testati e collaudati** al fine di garantire prodotti di massima qualità. Ogni nostro prodotto è il risultato della dedizione che il nostro personale mette in ogni passo della filiera produttiva, a partire dalla selezione dei materiali impiegati, di massima qualità, fino alla cura dell'imballaggio, robusto e compatto, facile da trasportare.

**DE** – Seit über 60 Jahren ist Autocar eine feste Größe bei der Entwicklung und Herstellung von **Verdeck-, Tür- und Rungensystemen** für Nutzfahrzeuge. Ein Weg, der auf technischer Kompetenz, Zuverlässigkeit und kontinuierlicher Innovation basiert, der es dem Unternehmen ermöglicht hat, sich als einer der führenden Akteure der Branche zu etablieren.

Im Laufe seiner Geschichte hat **Autocar einen Schatz an hochspezialisiertem Know-how entwickelt**, sich eine solide Reputation aufgebaut und Kooperationen mit den führenden OEM-Herstellern des Marktes etabliert. Eine Anerkennung, die durch die Qualität der angebotenen Lösungen, die Fähigkeit, auf komplexeste Anwendungsanforderungen einzugehen, und einen auf Exzellenz ausgerichteten Ansatz erworben wurde.

**Alle unsere Systeme werden getestet und geprüft**, um Produkte von höchster Qualität zu garantieren. Jedes unserer Produkte ist das Ergebnis des Engagements, das unsere Mitarbeiter in jeden Schritt der Produktionskette einbringen – angefangen bei der Auswahl der verwendeten Materialien höchster Qualität bis hin zur sorgfältigen, robusten und kompakten Verpackung, die leicht zu transportieren ist.

# DESIGNED TO PERFORM. BUILT TO LAST.



**GB** – Autocar develops **Roof, Door & Pillar Systems** for industrial vehicles, combining engineering expertise, design capability and manufacturing experience to create solutions engineered to offer high performance and reliability over time.

Every solution stems from careful design and development activity, with the goal of **ensuring structural robustness, functionality, safety**

**and durability** even in the most demanding operating conditions.

We work in close contact with manufacturers and bodybuilders to understand the specific application requirements and transform them into solutions that are efficient, customized and perfectly integrated into the vehicle.

From the initial idea to production,

**every project is guided by innovation, quality and attention to detail**, to offer products built to perform today and last over time

## ROOF SYSTEMS



Fixed, sliding, and adjustable roof systems developed to ensure smooth movement, reliability, and versatility.

## DOOR SYSTEMS



Rear doors and components designed to ensure efficiency, durability, and speed of installation.

## PILLAR SYSTEMS



Fixed, sliding, and MEGA pillars designed to ensure structural solidity, load security, and maximum operational flexibility.

**IT** – Autocar sviluppa **Roof, Door & Pillar Systems** per veicoli industriali, combinando competenze ingegneristiche, capacità progettuale ed esperienza produttiva per realizzare soluzioni progettate per offrire prestazioni elevate e affidabilità nel tempo.

Ogni soluzione nasce da un'attenta attività di progettazione e sviluppo, con l'obiettivo di **garantire robustezza strutturale, funzionalità, sicurezza e durata** anche nelle condizioni operative più gravose.

Lavoriamo a stretto contatto con costruttori e allestitori per comprendere le specifiche esigenze applicative e trasformarle in soluzioni efficienti, personalizzate e perfettamente integrate nel veicolo.

Dall'idea iniziale alla produzione, **ogni progetto è guidato da innovazione, qualità e attenzione ai dettagli**, per offrire prodotti costruiti per performare oggi e durare nel tempo.

**DE** – Autocar entwickelt **Verdeck-, Tür- & Rungensysteme für Nutzfahrzeuge**, und kombiniert dabei Ingenieurkompetenz, Konstruktionsfähigkeit und Fertigungserfahrung, um Lösungen zu realisieren, die darauf ausgelegt sind, hohe Leistungen und langfristige Zuverlässigkeit zu bieten.

Jede Lösung entsteht aus einer sorgfältigen Entwicklungs- und Konstruktionsarbeit, mit dem **Ziel, strukturelle Robustheit, Funktionalität, Sicherheit und Langlebigkeit** selbst unter den anspruchsvollsten Einsatzbedingungen zu garantieren.

Wir arbeiten eng mit Herstellern und Karosseriebauern zusammen, um die spezifischen Anwendungsanforderungen zu verstehen und in effiziente, maßgeschneiderte und perfekt in das Fahrzeug integrierte Lösungen zu verwandeln.

Von der ersten Idee bis zur Produktion **wird jedes Projekt von Innovation, Qualität und Liebe zum Detail geleitet**, um Produkte anzubieten, die so konstruiert sind, dass sie heute Leistung bringen und eine lange Lebensdauer haben.

# ENGINEERED FOR PERFORMANCE.



**GB** – Research and development represent the engine of innovation in Autocar. Every product takes shape through an integrated development process involving **technical analysis, design, 3D modeling, prototyping, validation, and industrialization**, guaranteeing high standards of quality, reliability, and performance.

Research&Development activity is oriented toward the continuous

improvement of roof, door, and pillar systems through the optimization of materials, components, and production processes, with the goal of increasing functionality, strength, safety, and efficiency.

**The close integration between Engineering, R&D, and Production departments allows us to quickly transform new application needs into reliable products, ready for**

industrial production and compliant with the highest quality standards.

Innovation is a continuous process that allows us to develop increasingly advanced technologies and to offer our customers products designed to face the challenges of the market of today and tomorrow.



## TECHNOLOGY

Advanced processes and cutting-edge technologies to guarantee precision and quality.



## INNOVATION

We constantly invest in the development of new solutions together with our customers.



## CUSTOMIZATION

We collaborate with manufacturers and bodybuilders to develop tailor-made solutions that improve vehicle performance and simplify work.

**IT** – La ricerca e lo sviluppo rappresentano il motore dell'innovazione in Autocar. Ogni prodotto prende forma attraverso un processo di sviluppo integrato che coinvolge **analisi tecnica, progettazione, modellazione 3D, prototipazione, validazione e industrializzazione**, garantendo elevati standard di qualità, affidabilità e prestazioni.

L'attività di Research&Development è orientata al continuo miglioramento dei sistemi tetto, porte e pianoni attraverso l'ottimizzazione di materiali, componenti e processi produttivi, con l'obiettivo di incrementare funzionalità, resistenza, sicurezza ed efficienza.

**La stretta integrazione tra i reparti di Engineering, R&D e Production consente di trasformare rapidamente nuove esigenze applicative in prodotti affidabili**, pronti per la produzione industriale e conformi ai più elevati standard qualitativi.

L'innovazione è un processo continuo che ci permette di sviluppare tecnologie sempre più evolute e di offrire ai nostri clienti prodotti progettati per affrontare le sfide del mercato di oggi e di domani.

**DE** – Forschung und Entwicklung sind der Motor der Innovation bei Autocar. Jedes Produkt nimmt Form an durch einen integrierten Entwicklungsprozess, **der technische Analyse, Konstruktion, 3D-Modellierung, Prototypenbau, Validierung und Industrialisierung** umfasst und hohe Qualitäts-, Zuverlässigkeits- und Leistungsstandards garantiert.

Die Research&Development-Aktivität ist auf die kontinuierliche Verbesserung von Verdeck-, Tür- und Rungensystemen ausgerichtet durch die Optimierung von Materialien, Komponenten und Produktionsprozessen, mit dem Ziel, Funktionalität, Beständigkeit, Sicherheit und Effizienz zu steigern.

**Die enge Integration der Abteilungen Engineering, R&D und Production ermöglicht es, neue Anwendungsanforderungen schnell in zuverlässige**, für die industrielle Produktion bereite und den höchsten Qualitätsstandards entsprechende Produkte zu verwandeln.

Innovation ist ein kontinuierlicher Prozess, der es uns ermöglicht, immer fortschrittlichere Technologien zu entwickeln und unseren Kunden Produkte anzubieten, die darauf ausgelegt sind, die Herausforderungen des Marktes von heute und morgen zu meistern.



INDEX

Tetti / Roofs / Verdecke “MAGNUM”

|     |                                                |     |
|-----|------------------------------------------------|-----|
| 02. | TOPLINE 2 - Sliding Roof System Assembly       |     |
|     | Components / Spare parts.....                  | 06. |
|     | Compatible Beams.....                          | 10. |
|     | Accessories.....                               | 12. |
|     | Other spare parts.....                         | 14. |
| 18. | NS 2 - Adjustable Sliding Roof System Assembly |     |
|     | Components / Spare parts.....                  | 22. |
|     | Compatible Beams.....                          | 25. |
|     | Accessories.....                               | 27. |
|     | Other spare parts.....                         | 29. |
| 32. | FIX 4 - Adjustable Roof System Assembly        |     |
|     | Components / Spare parts.....                  | 34. |
|     | Compatible Beams.....                          | 35. |
|     | Accessories.....                               | 37. |
|     | Other spare parts.....                         | 39. |



Porte in alluminio / Aluminium Doors / Aluminiumtüren

|     |                                                                                 |     |
|-----|---------------------------------------------------------------------------------|-----|
| 42. | SKIN - Disassembled Aluminium doors for light commercial vehicles               |     |
|     | Door Kit .....                                                                  | 42. |
|     | Accessories.....                                                                | 44. |
| 46. | MAGNA <sup>2</sup> - Disassembled aluminum doors for trailers and semi-trailers |     |
|     | Door Kit .....                                                                  | 46. |
|     | Accessories.....                                                                | 51. |
| 52. | KNOCK - Disassembled aluminum doors for trailers and semi-trailers              |     |
|     | Door Kit .....                                                                  | 52. |
|     | Accessories.....                                                                | 54. |
| 56. | KNOCK 4 - Disassembled aluminum doors for trailers and semi-trailers            |     |
|     | Door Kit .....                                                                  | 56. |
|     | Accessories.....                                                                | 58. |
| 60. | BOUNCE - Disassembled aluminum doors for trailers and semi-trailers             |     |
|     | Door Kit .....                                                                  | 60. |
|     | Accessories.....                                                                | 63. |
| 64. | BOUNCE 4 - Disassembled aluminum doors for trailers and semi-trailers           |     |
|     | Door Kit .....                                                                  | 64. |
|     | Accessories.....                                                                | 66. |

**ROOFS  
THAT COVER  
EVERY JOURNEY**



**ROOF  
SOLUTIONS  
FOR EVERY NEED.**




**Tetti /  
Roofs /  
Verdecke "MAGNUM"**



TOPLINE 2

EN Sliding Roof System Assembly  
IT Composizione Tetto Scorrevole  
DE Schieberverdeck-System




LA = 2550 mm | LT = da / from / von 4000 mm a / to / bis 13600 mm | P = 650 mm

Sliding roof assembly table | Tabella composizione tetto scorrevole | Schieberverdeck-System-Tabelle  
“TOPLINE 2”

| Code<br>Lokhen | ROOF LENGTH<br>(mm) |       | First<br>Cross-<br>beam | First cross-<br>beam<br>fixing kit | Central<br>Cross-<br>beam | Lifting<br>spring<br>Reverse | Lifting<br>spring<br>Carriage | Carriage<br>w/<br>crossbar<br>H120 | Pelmet | Rear<br>Locking<br>Plate Kit | Front<br>locking<br>kit |
|----------------|---------------------|-------|-------------------------|------------------------------------|---------------------------|------------------------------|-------------------------------|------------------------------------|--------|------------------------------|-------------------------|
|                | from                | to    | qty.                    | qty.                               | qty.                      | qty.                         | qty.                          | qty.                               | qty.   | qty.                         | qty.                    |
| 8010000100     | 4000                | 4450  | 1                       | 1                                  | 4                         | 8                            | 2                             | 1                                  | 1      | 1                            | 1                       |
| 8010000200     | 4451                | 5100  | 1                       | 1                                  | 5                         | 10                           | 2                             | 1                                  | 1      | 1                            | 1                       |
| 8010000300     | 5101                | 5750  | 1                       | 1                                  | 6                         | 12                           | 2                             | 1                                  | 1      | 1                            | 1                       |
| 8010000400     | 5751                | 6400  | 1                       | 1                                  | 7                         | 14                           | 2                             | 1                                  | 1      | 1                            | 1                       |
| 8010000500     | 6401                | 7050  | 1                       | 1                                  | 8                         | 16                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010000600     | 7051                | 7700  | 1                       | 1                                  | 9                         | 18                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010000700     | 7701                | 8350  | 1                       | 1                                  | 10                        | 20                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010000800     | 8351                | 9000  | 1                       | 1                                  | 11                        | 22                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010000900     | 9001                | 9650  | 1                       | 1                                  | 12                        | 24                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010001000     | 9651                | 10300 | 1                       | 1                                  | 13                        | 26                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010001100     | 10301               | 10950 | 1                       | 1                                  | 14                        | 28                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010001200     | 10951               | 11600 | 1                       | 1                                  | 15                        | 30                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010001300     | 11601               | 12250 | 1                       | 1                                  | 16                        | 32                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010001400     | 12251               | 12900 | 1                       | 1                                  | 17                        | 34                           | 2                             | 1                                  | 2      | 1                            | 1                       |
| 8010001500     | 12901               | 13600 | 1                       | 1                                  | 18                        | 36                           | 2                             | 1                                  | 2      | 1                            | 1                       |

TWIN TOPLINE 2

EN Sliding Roof System Assembly  
IT Composizione Tetto Scorrevole  
DE Schieberverdeck-System



LA = 2550 mm | LT = da / from / von 4000 mm a / to / bis 13600 mm | P = 650 mm

Sliding roof assembly table | Tabella composizione tetto scorrevole | Schieberverdeck-System-Tabelle  
“TWIN TOPLINE 2”

| Code Lokhen | ROOF LENGTH (mm) |       | Central Crossbeam | Lifting spring Reverse | Lifting spring Carriage | Carriage w/ crossbar H120 | Pelmet | Rear Locking Plate Kit | Front locking kit |
|-------------|------------------|-------|-------------------|------------------------|-------------------------|---------------------------|--------|------------------------|-------------------|
|             | from             | to    | qty.              | qty.                   | qty.                    | qty.                      | qty.   | qty.                   | qty.              |
| 8010100100  | 4000             | 4350  | 4                 | 4                      | 4                       | 2                         | 1      | 2                      | 2                 |
| 8010100200  | 4351             | 5000  | 5                 | 6                      | 4                       | 2                         | 1      | 2                      | 2                 |
| 8010100300  | 5001             | 5650  | 6                 | 8                      | 4                       | 2                         | 1      | 2                      | 2                 |
| 8010100400  | 5651             | 6300  | 7                 | 10                     | 4                       | 2                         | 1      | 2                      | 2                 |
| 8010100500  | 6301             | 6950  | 8                 | 12                     | 4                       | 2                         | 1      | 2                      | 2                 |
| 8010100600  | 6951             | 7600  | 9                 | 14                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010100700  | 7601             | 8250  | 10                | 16                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010100800  | 8251             | 8900  | 11                | 18                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010100900  | 8901             | 9550  | 12                | 20                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010101000  | 9551             | 10200 | 13                | 22                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010101100  | 10201            | 10850 | 14                | 24                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010101200  | 10851            | 11500 | 15                | 26                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010101300  | 11501            | 12150 | 16                | 28                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010101400  | 12151            | 12800 | 17                | 30                     | 4                       | 2                         | 2      | 2                      | 2                 |
| 8010101500  | 12801            | 13600 | 18                | 32                     | 4                       | 2                         | 2      | 2                      | 2                 |

TOPLINE 2 - COMPONENTS / SPARE PARTS

Primo Arco / First crossbeam / Erste Spriegel


- Fixed width for beams mounted at “LE” width (outside beams)
- Holding hook
- Tube 30x30
- Only for “TOPLINE 2” beams
- With rope hooks



| Code Lokhen | Code no. | LE = Width | Kg  |
|-------------|----------|------------|-----|
| 8800001100  | 5.8059   | 2550 mm    | 4,8 |

Arco centrale / Central crossbeam / Mittelspriegel


- Fixed width for beams mounted at “LE” width (outside beams)
- Holding hook
- Tube 30x30
- Only for “TOPLINE 2” beams



| Code Lokhen | Code no. | LE = Width | Kg  |
|-------------|----------|------------|-----|
| 8800001000  | 5.8058   | 2550 mm    | 4,8 |


TOPLINE 2 - COMPONENTS / SPARE PARTS

Soffietto per arco centrale con molla zincata / Galvanized steel lifting spring for central crossbeam / Verzinkter Hubbügel für Mittelspriegel



| Code Lokhen | Code no. | P = Crossbeams distance | S = L. spring | Kg   |
|-------------|----------|-------------------------|---------------|------|
| 8800008100  | 5.8064   | 650 mm                  | 590 mm        | 0,24 |

Soffietto per carrello / Lifting spring for carriage / Hubbügel für Endlaufwagen




| Code Lokhen | Code no. | P = Crossbeams distance | S = L. spring | Kg   |
|-------------|----------|-------------------------|---------------|------|
| 8800008000  | 5.8061   | 650 mm                  | 590 mm        | 0,24 |

TOPLINE 2 - COMPONENTS / SPARE PARTS

Carrello posteriore e anteriore senza traversa / Rear and front carriage without crossbar / Vordere und hintere Endlaufwagen ohne Portalbalken

- Fixed width for beams mounted at “LE” width (outside beams)
- Rear carriage with cataphoretic treatment
- Only for “TOPLINE 2” beams



LE = Larghezza esterna travi / External width of the beams / Außenbreite Dachgurtprofile

| Code Lokhen | Code no. | LE = Width | Kg   |
|-------------|----------|------------|------|
| 8800010300  | 5.9030   | 2550 mm    | 15,7 |

Traversa posteriore per TOPLINE 2 / TOPLINE 2 rear crossbar / Endportalbalken für TOPLINE 2




| Code Lokhen | Code no. | L= Width | H= Height | Kg    |
|-------------|----------|----------|-----------|-------|
| 8800016000  | 59136    | 2550     | 175       | 15,34 |
| 8800016100  | 59146    | 2550     | 120       | 14,8  |

TOPLINE 2 - COMPONENTS / SPARE PARTS


Mantovana / Pelmet / Dichtlippe

| Code Lokhen | Code no.<br>Plastic polymer | L = roll length (m) | Roll weight<br>Kg |
|-------------|-----------------------------|---------------------|-------------------|
| 612020600   | 6.0114                      | 7,6                 | 7                 |
| 612020601   | 6.0115                      | 8,6                 | 7,5               |
| 612020602   | 6.0116                      | 10                  | 9                 |
| 612020603   | 6.0117                      | 12                  | 10,5              |
| 602020600   | 6.0118                      | 14                  | 12                |



Kit fissaggio primo arco / First crossbeam fixing kit / Befestigungssatz erster Spiegel


| Code Lokhen | Code no. | Description                                 | Kg   |
|-------------|----------|---------------------------------------------|------|
| 8800001300  | 5.6780   | First crossbeam fixing kit without eyebolts | 0,25 |



Kit Blocchetto d'arresto posteriore / Rear blockage kit / Satz Arretierung hinten

1 kit per tetto / 1 kit each roof / 1 Satz pro Verdeck

| Code Lokhen | Code no. | Fits to TOPLINE beams:                 | Kg   |
|-------------|----------|----------------------------------------|------|
| 8800010400  | 5.9137   | BILINE - SLIM - SMART - GENIUS - SMALL | 0,31 |




To be fixed with 6,4x15 structural rivets (NOT SUPPLIED)

Kit blocchetto d'arresto anteriore / Front locking kit / Satz Arretierung vorne


1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck

| Code Lokhen | Code no. | Fits to TOPLINE beams:                 | Kg   |
|-------------|----------|----------------------------------------|------|
| 8800010500  | 5.9100   | BILINE - SLIM - SMART - GENIUS - SMALL | 0,03 |



TOPLINE 2 - COMPATIBLE BEAMS


Guide / Beams / Dachgurtprofil  
“BILINE TOPLINE 2”



5,51 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010800000  | 6.0157   | straight    | 5600         |
| 8010840100  | 6.0161   | bended      | 6600         |
| 8010840200  | 6.0162   | bended      | 7600         |
| 8010840300  | 6.0163   | bended      | 8600         |
| 8010840400  | 6.0164   | bended      | 10000        |
| 8010840500  | 6.0165   | bended      | 13600        |


Guide / Beams / Dachgurtprofil “SLIM TOPLINE 2”



5,93 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010842200  | 6.0168   | bended      | 7600         |
| 8010842300  | 6.0169   | bended      | 8600         |
| 8010842400  | 6.0170   | bended      | 10000        |
| 8010842500  | 6.0171   | bended      | 13600        |

Guida / Beam / Dachgurtprofil  
“GENIUS TOPLINE 2”



2,62 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010808200  | 59114    | straight    | 7600         |

Profilo alluminio per mantovana guida GENIUS /  
Aluminium pelmet profile for GENIUS beam /  
Dichtlippenaluprofil für GENIUS Dachgurtprofil




0,75 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010808000  | 5.3360   | straight    | 7600         |

TOPLINE 2 - COMPATIBLE BEAMS


Guide / Beams / Dachgurtprofil “SMART TOPLINE 2”



5,12 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010804000  | 6.0172   | straight    | 5600         |
| 8010844100  | 6.0176   | bended      | 6600         |
| 8010844200  | 6.0177   | bended      | 7600         |
| 8010844300  | 6.0178   | bended      | 8600         |
| 8010844400  | 6.0179   | bended      | 10000        |
| 8010844500  | 6.0180   | bended      | 13600        |


Guida / Beam / Dachgurtprofil  
“SMART STYLE TOPLINE 2”



5,39 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010810000  | 60422    | straight    | 5600         |
| 8010850100  | 60426    | bended      | 6600         |
| 8010850200  | 60427    | bended      | 7600         |
| 8010850300  | 60428    | bended      | 8600         |
| 8010850400  | 60429    | bended      | 10000        |
| 8010850500  | 60430    | bended      | 13600        |


Guida / Beam / Dachgurtprofil “SMART STYLE-C TOPLINE 2”



5,38 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010850600  | 60430C   | bended      | 13600        |

Guide / Beams / Dachgurtprofil  
“SMALL TOPLINE 2”



3,93 Kg/m


| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010806000  | 59107    | straight    | 4000         |
| 8010806100  | 59108    | straight    | 4600         |
| 8010806200  | 59109    | straight    | 5000         |

TOPLINE 2 - ACCESSORIES

Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “BILINE TOPLINE 2”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck


| Code Lokhen | Code no. | Fits to TOPLINE 2 beams: | Kg   |
|-------------|----------|--------------------------|------|
| 8019010700  | 5.6079   | BILINE                   | 10,5 |



Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “SLIM TOPLINE 2”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck


| Code Lokhen | Code no. | Fits to TOPLINE 2 beams: | Kg |
|-------------|----------|--------------------------|----|
| 8019010800  | 5.6027   | SLIM                     | 8  |



Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “SMART TOPLINE 2”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck


| Code Lokhen | Code no. | Fits to TOPLINE 2 beams: | Kg   |
|-------------|----------|--------------------------|------|
| 8019011000  | 5.9090   | SMART - SMART STYLE      | 3,75 |



Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “SMALL”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck

| Code Lokhen | Code no. | Fits to NS beams | Kg   |
|-------------|----------|------------------|------|
| 8019010900  | 5.6048   | SMALL            | 3,75 |



Asta traino tetto / Pulling rod / Zugstange


| Code Lokhen | Code no. | L = Length | Kg   |
|-------------|----------|------------|------|
| 8019010100  | 5.8341   | 2605       | 2,70 |



TOPLINE 2 - ACCESSORIES

Kit sgancio esterno carrello / Rear carriage outside unhooking kit / Externer Entriegelungssatz Endlaufwagen

| Code Lokhen | Code no. | Description                         | Kg   |
|-------------|----------|-------------------------------------|------|
| 8019011100  | 5.6506   | Rear carriage outside unhooking kit | 0,35 |



Carrucole telo / Curtain side rollers / Planenroller

| Code Lokhen | Code no. | Fits to TOPLINE 2 beams: | Kg    |
|-------------|----------|--------------------------|-------|
| 8019010500  | 5.8141   | BILINE - SMALL           | 0,125 |
| 8019010600  | 5.8091   | SMART - SLIM             | 0,128 |



Carrello piantone Universale / Universal Pillar holder / Universal-Rungenlaufwagen

| Code Lokhen | Code no. | Fits to TOPLINE 2 beams: | Kg   |
|-------------|----------|--------------------------|------|
| 8019010400  | 5.6418   | BILINE                   | 1,73 |
| 8019010300  | 5.6422   | SLIM                     | 1,71 |
| 8019010200  | 5.9035   | SMART - SMART STYLE      | 1.70 |





Table with suggested quantities for pillars and curtain rollers | Tabella quantità consigliate per piantoni e carrucole telo | Tabelle mit Angabe der vorgeschlagenen Mengen für Rungen und Planenroller

| LENGTH |       | Pillar holders | Curtain rollers |
|--------|-------|----------------|-----------------|
| from   | to    | qty.           | qty.            |
| 2750   | 4000  | 0              | 16              |
| 4001   | 4600  | 0              | 20              |
| 4601   | 5500  | 2              | 24              |
| 5501   | 6600  | 2              | 28              |
| 6601   | 7500  | 2/4            | 32              |
| 7501   | 8500  | 4              | 36              |
| 8501   | 10000 | 4              | 44              |
| 10001  | 13600 | 6              | 48              |

TOPLINE 2 - OTHER SPARE PARTS


Braccio carrello posteriore / Rear carriage arm / Klapparm Endlaufwagen

| Code Lokhen | Code no. | Kg   |
|-------------|----------|------|
| 8800010600  | 5.8956   | 0,90 |




Estremità completa non assemblata / Complete crossbeam end not assembled / Kompletter Laufwagen für Spiegel nicht vormontiert

| Code Lokhen | Code no. | Description   | Kg   |
|-------------|----------|---------------|------|
| 8800001400  | 5.8964   | Crossbeam End | 0,5  |
| 8800001700  | 5.8965   | Hook          | 0,13 |



Cuscinetti / Rollers / Kugellager

| Code Lokhen | Code no. | Fits to:                  | Kg   |
|-------------|----------|---------------------------|------|
| 8800001600  | 5.8955   | Central crossbeam end D26 | 0,03 |
| 8800001500  | 5.8959   | Central crossbeam end D24 | 0,03 |
| 8800010700  | 5.8957   | TOPLINE rear carriage     | 0,03 |



Code 8800001600      Code 8800001500      Code 8800010700

TOPLINE 2 - OTHER SPARE PARTS


Carrellino per carrello piantone / Roller for pillar holder / Rollen für den Rungenlaufwagen

| Code Lokhen | Code no. | Fits to:                         | Kg    |
|-------------|----------|----------------------------------|-------|
| 8800019000  | 5.6416   | Pillar holder<br>code 8019010400 | 0,140 |
|             |          | Pillar holder<br>code 8019010200 | 0,140 |
| 8800019100  | 5.6417   | Pillar holder<br>code 8019010300 | 0,122 |



Asta a gas per carrello posteriore e anteriore / Rear and front carriage gas spring / Front- und Heckendlaufwagen Gasfeder

| Code Lokhen | Code no. | Force | Kg   |
|-------------|----------|-------|------|
| 8800010800  | 5.6718   | 800 N | 0,12 |



EQUIP YOUR ROOF WITH XL SYSTEM



XL SYSTEM  
FOR TOPLINE 2 ROOF



- *The Autocar XL System - UNI EN 12642, delivers major benefits: enhanced cargo safety, streamlined operations, and minimized downtime.*

Quick-release strap system



UNI EN 12642 XL

EQUIP YOUR ROOF WITH TIR OPTION



TIR  
FOR TOPLINE 2 ROOF



- *Solutions for customs fast pass. Autocar has developed an exclusive TIR solution: a fast and easy way to clear customs while keeping your cargo completely secure.*


Security system



TIR OPTION

NS 2

- EN Adjustable Sliding Roof System Assembly
- IT Composizione Tetto Scorrevole Regolabile
- DE Verstellbares Schiebeverdeck-System




LA = da / from / von 2000 mm a / to / bis 2600 mm | LT = da / from / von 3000 mm a / to / bis 13600 mm | P = 650 / 410 / 460 mm

Sliding and adjustable roof assembly table | Tabella composizione tetto scorrevole regolabile | Bestandteiltabelle verstellbares Schiebeverdeck "NS 2"

| ROOF LENGTH<br>(mm) |       | ROOF WIDTH<br>from (mm) - to (mm) |            |            |            |            | Crossbeams | Lifting spring<br>650 mm | Lifting spring<br>410 mm | Lifting spring<br>460 mm | Carriage w/<br>crossbar | Pelmet | Rear<br>blockage kit | Front<br>locking kit |
|---------------------|-------|-----------------------------------|------------|------------|------------|------------|------------|--------------------------|--------------------------|--------------------------|-------------------------|--------|----------------------|----------------------|
|                     |       | 2000                              | 2121       | 2241       | 2361       | 2481       |            |                          |                          |                          |                         |        |                      |                      |
|                     |       | 2120                              | 2240       | 2360       | 2480       | 2550       |            |                          |                          |                          |                         |        |                      |                      |
| from                | to    | Code Lokhen                       |            |            |            |            | qty.       | qty.                     | qty.                     | qty.                     | qty.                    | qty.   | qty.                 |                      |
| 3000                | 3200  | 8012000000                        | 8012010000 | 8012020000 | 8012030000 | 8012040000 | 4          | 6                        | 2                        | -                        | 1                       | ✓      | 1                    | 1                    |
| 3201                | 3600  | 8012000100                        | 8012010100 | 8012020100 | 8012030100 | 8012040100 |            | 8                        | -                        | -                        |                         |        |                      |                      |
| 3601                | 4000  | 8012000200                        | 8012010200 | 8012020200 | 8012030200 | 8012040200 | 5          | 6                        | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 4001                | 4300  | 8012000300                        | 8012010300 | 8012020300 | 8012030300 | 8012040300 |            | 10                       | -                        | -                        |                         |        |                      |                      |
| 4301                | 4700  | 8012000400                        | 8012010400 | 8012020400 | 8012030400 | 8012040400 | 6          | 10                       | 2                        | -                        | 1                       | ✓      | 1                    | 1                    |
| 4701                | 4900  | 8012000500                        | 8012010500 | 8012020500 | 8012030500 | 8012040500 |            | 12                       | -                        | -                        |                         |        |                      |                      |
| 4901                | 5300  | 8012000600                        | 8012010600 | 8012020600 | 8012030600 | 8012040600 | 7          | 10                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 5301                | 5550  | 8012000700                        | 8012010700 | 8012020700 | 8012030700 | 8012040700 |            | 14                       | -                        | -                        |                         |        |                      |                      |
| 5551                | 5900  | 8012000800                        | 8012010800 | 8012020800 | 8012030800 | 8012040800 | 8          | 12                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 5901                | 6200  | 8012000900                        | 8012010900 | 8012020900 | 8012030900 | 8012040900 |            | 16                       | -                        | -                        |                         |        |                      |                      |
| 6201                | 6600  | 8012001000                        | 8012011000 | 8012021000 | 8012031000 | 8012041000 | 9          | 14                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 6601                | 6850  | 8012001100                        | 8012011100 | 8012021100 | 8012031100 | 8012041100 |            | 18                       | -                        | -                        |                         |        |                      |                      |
| 6851                | 7200  | 8012001200                        | 8012011200 | 8012021200 | 8012031200 | 8012041200 | 10         | 16                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 7201                | 7500  | 8012001300                        | 8012011300 | 8012021300 | 8012031300 | 8012041300 |            | 20                       | -                        | -                        |                         |        |                      |                      |
| 7501                | 7900  | 8012001400                        | 8012011400 | 8012021400 | 8012031400 | 8012041400 | 11         | 18                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 7901                | 8100  | 8012001500                        | 8012011500 | 8012021500 | 8012031500 | 8012041500 |            | 22                       | -                        | -                        |                         |        |                      |                      |
| 8101                | 8500  | 8012001600                        | 8012011600 | 8012021600 | 8012031600 | 8012041600 | 12         | 20                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 8501                | 8750  | 8012001700                        | 8012011700 | 8012021700 | 8012031700 | 8012041700 |            | 24                       | -                        | -                        |                         |        |                      |                      |
| 8751                | 9100  | 8012001800                        | 8012011800 | 8012021800 | 8012031800 | 8012041800 | 13         | 22                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 9101                | 9400  | 8012001900                        | 8012011900 | 8012021900 | 8012031900 | 8012041900 |            | 26                       | -                        | -                        |                         |        |                      |                      |
| 9401                | 9800  | 8012002000                        | 8012012000 | 8012022000 | 8012032000 | 8012042000 | 14         | 24                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 9801                | 10050 | 8012002100                        | 8012012100 | 8012022100 | 8012032100 | 8012042100 |            | 28                       | -                        | -                        |                         |        |                      |                      |
| 10051               | 10400 | 8012002200                        | 8012012200 | 8012022200 | 8012032200 | 8012042200 | 15         | 26                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 10401               | 10700 | 8012002300                        | 8012012300 | 8012022300 | 8012032300 | 8012042300 |            | 30                       | -                        | -                        |                         |        |                      |                      |
| 10701               | 11100 | 8012002400                        | 8012012400 | 8012022400 | 8012032400 | 8012042400 | 16         | 28                       | -                        | 4                        | 1                       | ✓      | 1                    | 1                    |
| 11101               | 11300 | 8012002500                        | 8012012500 | 8012022500 | 8012032500 | 8012042500 |            | 32                       | -                        | -                        |                         |        |                      |                      |
| 11301               | 11700 | 8012002600                        | 8012012600 | 8012022600 | 8012032600 | 8012042600 | 17         | 30                       | 4                        | -                        | 1                       | ✓      | 1                    | 1                    |
| 11701               | 11950 | 8012002700                        | 8012012700 | 8012022700 | 8012032700 | 8012042700 |            | 34                       | -                        | -                        |                         |        |                      |                      |
| 11951               | 12300 | 8012002800                        | 8012012800 | 8012022800 | 8012032800 | 8012042800 | 18         | 32                       | 4                        | -                        | 1                       | ✓      | 1                    | 1                    |
| 12301               | 12600 | 8012002900                        | 8012012900 | 8012022900 | 8012032900 | 8012042900 |            | 36                       | -                        | -                        |                         |        |                      |                      |
| 12601               | 13000 | 8012003000                        | 8012013000 | 8012023000 | 8012033000 | 8012043000 | 19         | 34                       | 4                        | -                        | 1                       | ✓      | 1                    | 1                    |
| 13001               | 13250 | 8012003100                        | 8012013100 | 8012023100 | 8012033100 | 8012043100 |            | 38                       | -                        | -                        |                         |        |                      |                      |
| 13251               | 13600 | 8012003200                        | 8012013200 | 8012023200 | 8012033200 | 8012043200 | 20         | 36                       | 4                        | -                        | 1                       | ✓      | 1                    | 1                    |

TWIN NS 2

EN Adjustable Sliding Roof System Assembly  
IT Composizione Tetto Scorrevole Regolabile  
DE Verstellbares Schieberverdeck-System



LA = da / from / von 2000 mm a / to / bis 2600 mm | LT = da / from / von 3000 mm a / to / bis 13600 mm | P = 650 / 410 / 460 mm


Sliding and adjustable roof assembly table | Tabella composizione tetto scorrevole regolabile | Bestandteiltabelle verstellbares Schieberverdeck “TWIN NS 2”

| ROOF LENGTH<br>(mm) |       | ROOF WIDTH<br>from (mm) - to (mm) |            |            |            |            | Crossbeams | Lifting spring<br>650 mm | Lifting spring<br>410 mm | Lifting spring<br>460 mm | Carriage w/<br>crossbar | Pelmet | Rear<br>blockage kit | Front<br>locking kit |
|---------------------|-------|-----------------------------------|------------|------------|------------|------------|------------|--------------------------|--------------------------|--------------------------|-------------------------|--------|----------------------|----------------------|
|                     |       | 2000                              | 2121       | 2241       | 2361       | 2481       |            |                          |                          |                          |                         |        |                      |                      |
|                     |       | 2120                              | 2240       | 2360       | 2480       | 2550       |            |                          |                          |                          |                         |        |                      |                      |
| from                | to    | Code Lokhen                       |            |            |            |            | qty.       | qty.                     | qty.                     | qty.                     | qty.                    | qty.   | qty.                 | qty.                 |
| 6000                | 6220  | 8012100000                        | 8012110000 | 8012120000 | 8012130000 | 8012140000 | 8          | 12                       | -                        | 4                        | 2                       | ✓      | 2                    | 2                    |
| 6221                | 6450  | 8012100100                        | 8012110100 | 8012120100 | 8012130100 | 8012140100 |            | 14                       | -                        | 2                        |                         |        |                      |                      |
| 6451                | 6630  | 8012100200                        | 8012110200 | 8012120200 | 8012130200 | 8012140200 |            | 16                       | -                        | -                        |                         |        |                      |                      |
| 6631                | 6860  | 8012100300                        | 8012110300 | 8012120300 | 8012130300 | 8012140300 | 9          | 14                       | -                        | 4                        | 2                       | ✓      | 2                    | 2                    |
| 6861                | 7090  | 8012100400                        | 8012110400 | 8012120400 | 8012130400 | 8012140400 |            | 16                       | -                        | 2                        |                         |        |                      |                      |
| 7091                | 7270  | 8012100500                        | 8012110500 | 8012120500 | 8012130500 | 8012140500 |            | 18                       | -                        | -                        |                         |        |                      |                      |
| 7271                | 7500  | 8012100600                        | 8012110600 | 8012120600 | 8012130600 | 8012140600 | 10         | 16                       | -                        | 4                        | 2                       | ✓      | 2                    | 2                    |
| 7501                | 7730  | 8012100700                        | 8012110700 | 8012120700 | 8012130700 | 8012140700 |            | 18                       | -                        | 2                        |                         |        |                      |                      |
| 7731                | 7910  | 8012100800                        | 8012110800 | 8012120800 | 8012130800 | 8012140800 |            | 20                       | -                        | -                        |                         |        |                      |                      |
| 7911                | 8140  | 8012100900                        | 8012110900 | 8012120900 | 8012130900 | 8012140900 | 11         | 18                       | -                        | 4                        | 2                       | ✓      | 2                    | 2                    |
| 8141                | 8370  | 8012101000                        | 8012111000 | 8012121000 | 8012131000 | 8012141000 |            | 20                       | -                        | 2                        |                         |        |                      |                      |
| 8371                | 8550  | 8012101100                        | 8012111100 | 8012121100 | 8012131100 | 8012141100 |            | 22                       | -                        | -                        |                         |        |                      |                      |
| 8551                | 8780  | 8012101200                        | 8012111200 | 8012121200 | 8012131200 | 8012141200 | 12         | 20                       | -                        | 4                        | 2                       | ✓      | 2                    | 2                    |
| 8781                | 9010  | 8012101300                        | 8012111300 | 8012121300 | 8012131300 | 8012141300 |            | 22                       | -                        | 2                        |                         |        |                      |                      |
| 9011                | 9190  | 8012101400                        | 8012111400 | 8012121400 | 8012131400 | 8012141400 |            | 24                       | -                        | -                        |                         |        |                      |                      |
| 9191                | 9420  | 8012101500                        | 8012111500 | 8012121500 | 8012131500 | 8012141500 | 13         | 22                       | -                        | 4                        | 2                       | ✓      | 2                    | 2                    |
| 9421                | 9650  | 8012101600                        | 8012111600 | 8012121600 | 8012131600 | 8012141600 |            | 24                       | -                        | 2                        |                         |        |                      |                      |
| 9651                | 9830  | 8012101700                        | 8012111700 | 8012121700 | 8012131700 | 8012141700 |            | 26                       | -                        | -                        |                         |        |                      |                      |
| 9831                | 10060 | 8012101800                        | 8012111800 | 8012121800 | 8012131800 | 8012141800 | 14         | 24                       | -                        | 4                        | 2                       | ✓      | 2                    | 2                    |
| 10061               | 10290 | 8012101900                        | 8012111900 | 8012121900 | 8012131900 | 8012141900 |            | 26                       | -                        | 2                        |                         |        |                      |                      |
| 12851               | 13030 | 8012102000                        | 8012112000 | 8012122000 | 8012132000 | 8012142000 | 18         | 36                       | -                        | -                        | 2                       | ✓      | 2                    | 2                    |
| 13031               | 13260 | 8012102100                        | 8012112100 | 8012122100 | 8012132100 | 8012142100 | 19         | 34                       | 4                        | -                        | 2                       | ✓      | 2                    | 2                    |
| 13261               | 13490 | 8012102200                        | 8012112200 | 8012122200 | 8012132200 | 8012142200 |            | 36                       | 2                        | -                        |                         |        |                      |                      |
| 13491               | 13600 | 8012102300                        | 8012112300 | 8012122300 | 8012132300 | 8012142300 |            | 38                       | -                        | -                        |                         |        |                      |                      |

! I carrelli modello TWIN sono quelli della linea NS 2 di pagina 21 / The TWIN line carriages are those of NS 2 line on page 21 / Endlaufwagen für TWIN sind baugleich wie die von der NS 2 - Schieberverdecklinie auf Seite 21.

NS 2 - COMPONENTS / SPARE PARTS

Arco centrale / Central crossbeam / Mittelspiegel



| Code Lokhen | Code no. | L= Adjustable width  | Kg   |
|-------------|----------|----------------------|------|
| 8800004000  | 5.6240   | From 2000 to 2120 mm | 4,10 |
| 8800004100  | 5.6241   | From 2121 to 2240 mm | 4,30 |
| 8800004200  | 5.6242   | From 2241 to 2360 mm | 4,50 |
| 8800004300  | 5.6248   | From 2361 to 2480 mm | 4,70 |
| 8800004400  | 5.6249   | From 2481 to 2600 mm | 5,00 |

Soffietto completo con molla zincata / Zinc-plated steel lifting spring / Verzinkter Hubbügel




| Code Lokhen | Code no. | P = Crossbeams distance | S = Lifting spring lenght | Kg    |
|-------------|----------|-------------------------|---------------------------|-------|
| 8800009000  | 5.2909   | 650 mm                  | 590 mm                    | 0,240 |
| 8019011200  | 5.3369   | 410 mm                  | 350 mm                    | 0,160 |
| 8019011300  | 5.8159   | 460 mm                  | 400 mm                    | 0,176 |

NS 2 - COMPONENTS / SPARE PARTS


Mantovana / Pelmet / Dichtlippe

| Code Lokhen | Code no.<br>Plastic polymer | L = roll length (m) | Roll weight<br>Kg |
|-------------|-----------------------------|---------------------|-------------------|
| 612020600   | 6.0114                      | 7,6                 | 7                 |
| 612020601   | 6.0115                      | 8,6                 | 7,5               |
| 612020602   | 6.0116                      | 10                  | 9                 |
| 612020603   | 6.0117                      | 12                  | 10,5              |
| 602020600   | 6.0118                      | 14                  | 12                |



Carrello posteriore e anteriore senza traversa / Rear and front carriage without crossbar / Vordere und hintere Endlaufwagen ohne Portalbalken

- Width adjustable
- Slides on NS-beams
- All galvanised



LE = Larghezza esterna travi / Beams external width / Außenbreite der Dachgurtprofile

| Code Lokhen | Code no. | LE = Width           | Kg   |
|-------------|----------|----------------------|------|
| 8800013500  | 59141    | From 2000 to 2120 mm | 18,3 |
| 8800013600  | 59142    | From 2121 to 2240 mm | 18,7 |
| 8800013700  | 59143    | From 2241 to 2360 mm | 19,2 |
| 8800013800  | 59144    | From 2361 to 2480 mm | 19,6 |
| 8800013900  | 56316    | From 2481 to 2600 mm | 20   |

NS 2 - COMPONENTS / SPARE PARTS

Traversa posteriore per NS2 / NS2 rear crossbar / Endportalbalken für NS 2




| Code Lokhen | Code no. | L = Width | Kg   |
|-------------|----------|-----------|------|
| 8800017000  | 5.6297   | 2120 mm   | 9,70 |
| 8800017100  | 5.6298   | 2240 mm   | 10,3 |
| 8800017200  | 5.6299   | 2360 mm   | 10,8 |
| 8800017300  | 5.6300   | 2480 mm   | 11,4 |
| 8800017400  | 5.6301   | 2550 mm   | 12,0 |
| 8800017500  | 5.6396   | 2600 mm   | 13,0 |



Kit blocchetto d'arresto posteriore / Rear blockage kit / Satz Arretierung hinten

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck


| Code Lokhen | Code no. | Fits to NS beams                                        | Kg   |
|-------------|----------|---------------------------------------------------------|------|
| 8800014000  | 5.6309   | STANDARD - STANDARD LIGHT - SLIM LIGHT - GENIUS - SMALL | 0,73 |



Kit blocchetto d'arresto anteriore / Front locking kit / Satz Arretierung vorne


1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck

| Code Lokhen | Code no. | Fits to NS beams                                        | Kg   |
|-------------|----------|---------------------------------------------------------|------|
| 8800014100  | 5.9138   | STANDARD - STANDARD LIGHT - SLIM LIGHT - GENIUS - SMALL | 0,04 |



NS 2 - COMPATIBLE BEAMS


Guide / Beams / Dachgurtprofile "STANDARD"



6,28 Kg/m

| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012840400  | 5.0011100 | bended      | 10000        |
| 8012840500  | 5.0011137 | bended      | 13600        |


Guide / Beams / Dachgurtprofile "STANDARD LIGHT"



4,78 Kg/m

| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012802000  | 5.1022055 | straight    | 5600         |
| 8012842100  | 5.1021066 | bended      | 6600         |
| 8012842200  | 5.1021075 | bended      | 7600         |
| 8012842300  | 5.1021085 | bended      | 8600         |


Guide / Beams / Dachgurtprofile "SLIM LIGHT"



6,08 Kg/m

| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8012844200  | 5.4199   | bended      | 7600         |
| 8012844300  | 5.4198   | bended      | 8600         |
| 8012844400  | 5.4043   | bended      | 10000        |
| 8012844500  | 5.4050   | bended      | 13600        |

Guide / Beams / Dachgurtprofile "SMALL"




3,44 Kg/m

| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012806000  | 5.1011040 | straight    | 4000         |
| 8012806100  | 5.1011046 | straight    | 4600         |
| 8012806200  | 5.1011050 | straight    | 5000         |

NS 2 - COMPATIBLE BEAMS

Guida / Beam / Dachgurtprofil “GENIUS”



2,10 Kg/m

| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012808200  | 5.0711075 | straight    | 7600         |

Profilo alluminio per mantovana guida GENIUS /  
Aluminium pelmet profile for GENIUS beam /  
Dichtlippenaluprofil für GENIUS Dachgurtprofil



0,75 Kg/m


| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010808000  | 5.3360   | straight    | 7600         |

NS 2 - ACCESSORIES

Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “STANDARD”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck


| Code Lokhen | Code no. | Fits to NS beams             | Kg   |
|-------------|----------|------------------------------|------|
| 8019010700  | 5.6079   | STANDARD -<br>STANDARD LIGHT | 10,5 |



Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “SLIM LIGHT”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck

| Code Lokhen | Code no. | Fits to NS beams | Kg |
|-------------|----------|------------------|----|
| 8019010800  | 5.6027   | SLIM LIGHT       | 8  |




\* 2 right - 2 left


Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “SMALL”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck

| Code Lokhen | Code no. | Fits to NS beams | Kg   |
|-------------|----------|------------------|------|
| 8019010900  | 5.6048   | SMALL            | 3,75 |



Asta traino tetto / Pulling rod / Zugstange




| Code Lokhen | Code no. | L = Length | Kg   |
|-------------|----------|------------|------|
| 8019010100  | 5.8341   | 2605       | 2,70 |

NS 2 - ACCESSORIES

Kit sgancio esterno carrello / Rear carriage outside unhooking kit / Externer Entriegelungssatz Endlaufwagen “NS 2”

| Code Lokhen | Code no. | Description                         | Kg   |
|-------------|----------|-------------------------------------|------|
| 801901100   | 5.6506   | Rear carriage outside unhooking kit | 0,35 |




Carrucole telo / Curtain side rollers / Planenroller

| Code Lokhen | Code no. | Fits to NS2 beams:                | Kg    |
|-------------|----------|-----------------------------------|-------|
| 8019010500  | 5.8141   | STANDARD - STANDARD LIGHT - SMALL | 0,125 |
| 8019010600  | 5.8091   | SLIM LIGHT                        | 0,128 |



Carrello piantone / Pillar holder / Rungenlaufwagen



| Code Lokhen | Code no. | Fits to NS beams          | Kg   | Code Lokhen | Code no. | Fits to NS beams | Kg   |
|-------------|----------|---------------------------|------|-------------|----------|------------------|------|
| 8019010400  | 5.6418   | STANDARD - STANDARD LIGHT | 1,73 | 8019010300  | 5.6422   | SLIM LIGHT       | 1,71 |

Table with suggested quantities for pillars and curtain side rollers | Tabella quantità consigliate per piantoni e carrucole telo | Tabelle mit Angabe der vorgeschlagenen Mengen für Rungen und Planenrolle

| LENGTH |       | Pillar holders | Curtain rollers |
|--------|-------|----------------|-----------------|
| from   | to    | qty.           | qty.            |
| 2750   | 4000  | 0              | 16              |
| 4001   | 4600  | 0              | 20              |
| 4601   | 5500  | 2              | 24              |
| 5501   | 6600  | 2              | 28              |
| 6601   | 7500  | 2/4            | 32              |
| 7501   | 8500  | 4              | 36              |
| 8501   | 10000 | 4              | 44              |
| 10001  | 13600 | 6              | 48              |

NS 2 - OTHER SPARE PARTS


Estremità posteriore SX carrello / Rear carriage left end / Endlaufwagen links

| Code Lokhen | Code no. | Description                     | Kg |
|-------------|----------|---------------------------------|----|
| 8800014200  | 5.6505   | Rear carriage left end complete | 7  |




Estremità posteriore DX carrello / Rear carriage right end / Endlaufwagen rechts

| Code Lokhen | Code no. | Description                      | Kg |
|-------------|----------|----------------------------------|----|
| 8800014300  | 5.6504   | Rear carriage right end complete | 7  |



Braccio carrello posteriore / Rear carriage arm / Klapparm Endlaufwagen


| Code Lokhen | Code no. | Fits to:                     | Kg   |
|-------------|----------|------------------------------|------|
| 8800014400  | 5.6303   | NS2 adjustable rear carriage | 1,75 |



NS 2 - OTHER SPARE PARTS


Estremità completa / Complete crossbeam end / Kompletter Laufwagen

| Code Lokhen | Code no. | Fits to:                     | Kg   |
|-------------|----------|------------------------------|------|
| 8800004600  | 5.3365   | Central adjustable crossbeam | 0,60 |




Cuscinetti / Rollers / Kugellager

| Code Lokhen | Code no. Ar. | Fits to:          | Kg   |
|-------------|--------------|-------------------|------|
| 8800014500  | 5.3969       | NS2 rear carriage | 0,03 |
| 8800004700  | 5.3367       | Central crossbeam | 0,03 |




| Code Lokhen | Code no. | Description     | Q.ty |
|-------------|----------|-----------------|------|
| 8800004500  | 5.6246   | Screw M6x16 8.8 | 100  |



NS 2 - OTHER SPARE PARTS

Asta a gas per carrello posteriore e anteriore / Rear and front carriage gas spring / Front- und Heckendlaufwagen Gasfeder

| Code Lokhen | Code no. | Force                  | Kg   |
|-------------|----------|------------------------|------|
| 8800010800  | 5.6718   | 800 N for carriage NS2 | 0,12 |




Carrellino per carrello piantone / Roller for pillar holder / Rollen für den Rungenlaufwagen

| Code Lokhen | Code no. | Fits to:                               | Kg    |
|-------------|----------|----------------------------------------|-------|
| 8800019000  | 5.6416   | Pillar holder<br>code 8019010400 (NS2) | 0,140 |
| 8800019100  | 5.6417   | Pillar holder<br>code 8019010300 (NS2) | 0,122 |



FIX 4

- EN Adjustable Roof System Assembly
- IT Composizione Tetto Regolabile
- DE Verstellbares Verdeck-System



LA = da / from / von 2000 mm a / to / bis 2600 mm | LT = da / from / von 3000 mm a / to / bis 13600 mm | P = max. 550 mm

Tabella composizione tetto regolabile / Adjustable roof assembly table / Verstellbares Verdeck-System-Tabelle  
“FIX 4”

| ROOF LENGTH<br>(mm) |       | ROOF WIDTH<br>from (mm) - to (mm) |            |            |            |            | Cross-<br>beams | Pelmet |
|---------------------|-------|-----------------------------------|------------|------------|------------|------------|-----------------|--------|
|                     |       | 2000                              | 2121       | 2241       | 2361       | 2481       |                 |        |
|                     |       | 2120                              | 2240       | 2360       | 2480       | 2600       |                 |        |
| from                | to    | Code Lokhen                       |            |            |            |            | qty.            | qty.   |
| 2750                | 3300  | 8014000000                        | 8014010000 | 8014020000 | 8014030000 | 8014040000 | 5               | 1      |
| 3301                | 3850  | 8014000100                        | 8014010100 | 8014020100 | 8014030100 | 8014040100 | 6               | 1      |
| 3851                | 4400  | 8014000200                        | 8014010200 | 8014020200 | 8014030200 | 8014040200 | 7               | 1      |
| 4401                | 4950  | 8014000300                        | 8014010300 | 8014020300 | 8014030300 | 8014040300 | 8               | 1      |
| 4951                | 5500  | 8014000400                        | 8014010400 | 8014020400 | 8014030400 | 8014040400 | 9               | 1      |
| 5501                | 6050  | 8014000500                        | 8014010500 | 8014020500 | 8014030500 | 8014040500 | 10              | 1      |
| 6051                | 6600  | 8014000600                        | 8014010600 | 8014020600 | 8014030600 | 8014040600 | 11              | 1      |
| 6601                | 7150  | 8014000700                        | 8014010700 | 8014020700 | 8014030700 | 8014040700 | 12              | 2      |
| 7151                | 7700  | 8014000800                        | 8014010800 | 8014020800 | 8014030800 | 8014040800 | 13              | 2      |
| 7701                | 8250  | 8014000900                        | 8014010900 | 8014020900 | 8014030900 | 8014040900 | 14              | 2      |
| 8251                | 8800  | 8014001000                        | 8014011000 | 8014021000 | 8014031000 | 8014041000 | 15              | 2      |
| 8801                | 9350  | 8014001100                        | 8014011100 | 8014021100 | 8014031100 | 8014041100 | 16              | 2      |
| 9351                | 9900  | 8014001200                        | 8014011200 | 8014021200 | 8014031200 | 8014041200 | 17              | 2      |
| 9901                | 10450 | 8014001300                        | 8014011300 | 8014021300 | 8014031300 | 8014041300 | 18              | 2      |
| 10451               | 11000 | 8014001400                        | 8014011400 | 8014021400 | 8014031400 | 8014041400 | 19              | 2      |
| 11001               | 11550 | 8014001500                        | 8014011500 | 8014021500 | 8014031500 | 8014041500 | 20              | 2      |
| 11551               | 12100 | 8014001600                        | 8014011600 | 8014021600 | 8014031600 | 8014041600 | 21              | 2      |
| 12101               | 12650 | 8014001700                        | 8014011700 | 8014021700 | 8014031700 | 8014041700 | 22              | 2      |
| 12651               | 13200 | 8014001800                        | 8014011800 | 8014021800 | 8014031800 | 8014041800 | 23              | 2      |
| 13201               | 13600 | 8014001900                        | 8014011900 | 8014021900 | 8014031900 | 8014041900 | 24              | 2      |

FIX 4 - COMPONENTS / SPARE PARTS


Arco diritto / Straight crossbeam / Spriegel gerade



| Code Lokhen | Code no. | Adjustable width     | Kg  |
|-------------|----------|----------------------|-----|
| 8800000100  | 5.8042   | From 2000 to 2120 mm | 4,2 |
| 8800000200  | 5.8043   | From 2121 to 2240 mm | 4,3 |
| 8800000300  | 5.8044   | From 2241 to 2360 mm | 4,4 |
| 8800000400  | 5.8045   | From 2361 to 2480 mm | 4,5 |
| 8800000500  | 5.8046   | From 2481 to 2600 mm | 4,6 |


Mantovana / Pelmet / Dichtlippe

| Code Lokhen | Code no.<br>Plastic polymer | L = roll length (m) | Roll weight<br>Kg |
|-------------|-----------------------------|---------------------|-------------------|
| 612020600   | 6.0114                      | 7,6                 | 7                 |
| 612020601   | 6.0115                      | 8,6                 | 7,5               |
| 612020602   | 6.0116                      | 10                  | 9                 |
| 612020603   | 6.0117                      | 12                  | 10,5              |
| 602020600   | 6.0118                      | 14                  | 12                |




FIX 4 - COMPATIBLE BEAMS

Guide / Beams / Dachgurtprofile "STANDARD"




| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012840400  | 5.0011100 | bended      | 10000        |
| 8012840500  | 5.0011137 | bended      | 13600        |

Guide / Beams / Dachgurtprofile "STANDARD LIGHT"




| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012802000  | 5.1022055 | straight    | 5600         |
| 8012842100  | 5.1021066 | bended      | 6600         |
| 8012842200  | 5.1021075 | bended      | 7600         |
| 8012842300  | 5.1021085 | bended      | 8600         |

Guide / Beams / Dachgurtprofile "SLIM LIGHT"



| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8012844200  | 5.4199   | bended      | 7600         |
| 8012844300  | 5.4198   | bended      | 8600         |
| 8012844400  | 5.4043   | bended      | 10000        |
| 8012844500  | 5.4050   | bended      | 13600        |


Guide / Beams / Dachgurtprofile "SMALL"



| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012806000  | 5.1011040 | straight    | 4000         |
| 8012806100  | 5.1011046 | straight    | 4600         |
| 8012806200  | 5.1011050 | straight    | 5000         |

FIX 4 - COMPATIBLE BEAMS

Guida / Beam / Dachgurtprofil “GENIUS”



2,10 Kg/m

| Code Lokhen | Code no.  | Description | L= Length mm |
|-------------|-----------|-------------|--------------|
| 8012808200  | 5.0711075 | straight    | 7600         |

Profilo alluminio per mantovana guida GENIUS /  
Aluminium pelmet profile for GENIUS beam /  
Dichtlippenaluprofil für GENIUS Dachgurtprofil



0,75 Kg/m


| Code Lokhen | Code no. | Description | L= Length mm |
|-------------|----------|-------------|--------------|
| 8010808000  | 5.3360   | straight    | 7600         |

FIX 4 - ACCESSORIES

Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “STANDARD”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck


| Code Lokhen | Code no. | Fits to NS beams             | Kg   |
|-------------|----------|------------------------------|------|
| 8019010700  | 5.6079   | STANDARD -<br>STANDARD LIGHT | 10,5 |



Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “SLIM LIGHT”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck


| Code Lokhen | Code no. | Fits to NS beams | Kg |
|-------------|----------|------------------|----|
| 8019010800  | 5.6027   | SLIM LIGHT       | 8  |



Kit fissaggio guida / Beam fixing kit / Befestigungssatz Dachgurtprofile “SMALL”

1 Kit per tetto / 1 kit each roof / 1 Satz pro Verdeck

| Code Lokhen | Code no. | Fits to NS beams | Kg   |
|-------------|----------|------------------|------|
| 8019010900  | 5.6048   | SMALL            | 3,75 |




FIX 4 - ACCESSORIES

Carrucole telo / Curtain side rollers / Planenroller

| Code Lokhen | Code no. | Fits to NS2 beams:                      | Kg    |
|-------------|----------|-----------------------------------------|-------|
| 8019010500  | 5.8141   | STANDARD -<br>STANDARD LIGHT -<br>SMALL | 0,125 |
| 8019010600  | 5.8091   | SLIM LIGHT                              | 0,128 |



Carrello piantone / Pillar holder / Rungenlaufwagen



| Code Lokhen | Code no. | Fits to NS beams             | Kg   |
|-------------|----------|------------------------------|------|
| 8019010400  | 5.6418   | STANDARD -<br>STANDARD LIGHT | 1,73 |

| Code Lokhen | Code no. | Fits to NS beams | Kg   |
|-------------|----------|------------------|------|
| 8019010300  | 5.6422   | SLIM LIGHT       | 1,71 |


Table with suggested quantities for pillars and curtain rollers | Tabella quantità consigliate per piantoni e carrucole telo |  
Tabelle mit Angabe der vorgeschlagenen Mengen für Rungen und Planenrolle

| LENGTH |       | Pillar holders | Curtain rollers |
|--------|-------|----------------|-----------------|
| from   | to    | qty.           | qty.            |
| 2750   | 4000  | 0              | 16              |
| 4001   | 4600  | 0              | 20              |
| 4601   | 5500  | 2              | 24              |
| 5501   | 6600  | 2              | 28              |
| 6601   | 7500  | 2/4            | 32              |
| 7501   | 8500  | 4              | 36              |
| 8501   | 10000 | 4              | 44              |
| 10001  | 13600 | 6              | 48              |

FIX 4 - OTHER SPARE PARTS


Kit estremità arco FIX 4 diritto / FIX 4 straight crossbeam end kit / Kit Spiegel Laufwagen FIX 4-gerade

| Code Lokhen | Code no. | Fits to:                      | Kg  |
|-------------|----------|-------------------------------|-----|
| 8800000600  | 5.8038   | FIX 4 - straight<br>crossbeam | 0,5 |



Kit fissaggio arco centrale FIX 4 / FIX 4 central crossbeam fixing kit / FIX 4 Spiegelbefestigungs-  
kit

| Code Lokhen | Code no. | Description | Kg  |
|-------------|----------|-------------|-----|
| 8800000700  | 5.3378   | Fixing kit  | 0,2 |



Carrellino per carrello piantone / Roller for pillar holder / Rollen für den Rungenlaufwagen

| Code Lokhen | Code no. | Fits to:                               | Kg    |
|-------------|----------|----------------------------------------|-------|
| 8800019000  | 5.6416   | Pillar holder<br>code 8019010400 (NS2) | 0,140 |
| 8800019100  | 5.6417   | Pillar holder<br>code 8019010300 (NS2) | 0,122 |






**DOORS**  
**THAT OPEN**  
**OPPORTUNITIES**



**DOORS**  
**SOLUTIONS**  
**FOR EVERY NEED.**





Porte in alluminio /  
Aluminium Doors /  
Aluminiumtüren



SKIN

EN Disassembled Aluminium doors for light commercial vehicles  
IT Porte in alluminio disassemblate per veicoli commerciali leggeri  
DE Demontierte Aluminiumtüren für leichte Nutzfahrzeuge

sKin  
TWO WINGS  
SIMPLE HINGE



TELESCOPIC SYSTEM



| Code Lokhen | HK* mm | HD mm | HT mm | A mm | L mm                       | C mm                       | D mm                       | O mm                       | LOCKS | Kg   |
|-------------|--------|-------|-------|------|----------------------------|----------------------------|----------------------------|----------------------------|-------|------|
| 80503100000 | 2253   | 2141  | 2100  | 677  | from 2100<br>up to<br>2350 | from 2030<br>up to<br>2280 | from 2045<br>up to<br>2295 | from 2080<br>up to<br>2330 | 2     | 67,6 |
| 80503101000 | 2353   | 2241  | 2200  | 727  |                            |                            |                            |                            | 2     | 70,1 |
| 80503102000 | 2453   | 2341  | 2300  | 777  |                            |                            |                            |                            | 2     | 72,6 |
| 80503103000 | 2553   | 2341  | 2400  | 827  |                            |                            |                            |                            | 2     | 75,1 |


Each kit is reducible by 100mm (50mm on the top and 50mm on the bottom)

Save the space  
-70% | in your warehouse

Supplied in a unique package, it can fit widths from 2100 mm to 2350 mm

The disassembled door kit includes:

- Wing profiles (x8)
- Header profiles (x4)
- Carter profile (x4)
- Caps for header (x8)
- Locking kits (x2)
- Seals (x2)



SKIN - ACCESSORIES

Kit cardine a montare in acciaio / Steel hinge mounting kit / Montagesatz für Stahlscharniere

Each kit includes

- Steel hinges (x6)
- Nuts (x6)
- Bolts (x6)
- Countersunk screws (x12)

| Code Lokhen | Kg   |
|-------------|------|
| 8059000100  | 1,12 |



Kit cardine a saldare in acciaio / Steel hinge to be welded / Scharniersatz aus Stahl zum Anschweißen

Each kit includes

- Steel hinges (x6)
- Nuts (x6)
- Bolts (x6)

| Code Lokhen | Kg   |
|-------------|------|
| 8059000200  | 1,18 |




SKIN - ACCESSORIES

Kit cerniera in alluminio A RIVETTARE - Opzionale / Aluminium hinge kit TO BE RIVETED - Optional  
/ Scharniersatzprofil ZUM NIETEN - Optional

Each kit includes

- Aluminium hinge profile to rivet (x2)
- Round drilled bars Ø8 (x2)
- Elastic pins 5x30mm (x4)



| Code Lokhen | H mm | HD mm | Kg   |
|-------------|------|-------|------|
| 8059000300  | 2100 | 2141  | 7,43 |
| 8059000400  | 2200 | 2241  | 7,81 |
| 8059000500  | 2300 | 2341  | 8,19 |
| 8059000600  | 2400 | 2441  | 8,57 |

MAGNA<sup>2</sup>

EN Disassembled aluminum doors for trailers and semi-trailers  
IT Porte in alluminio disassemblate per rimorchi e semirimorchi  
DE Demontierte Aluminiumtür für Anhänger und Sattelaufleger



TWO WINGS  
WITHOUT LOCKS




Save  
space  
-70%

in your  
warehouse



The disassembled door kit includes:

- Wing profiles (x6)
- Header profiles (x4)
- Locking kits (x4 or x2)
- Seals (x1)




| Code Lokhen | HT mm | HD mm | A mm | B mm | L mm | LOCKS | Kg  |
|-------------|-------|-------|------|------|------|-------|-----|
| 80502000000 | 2400  | 2446  | 518  | 520  | 2490 | 0     | 104 |
| 80502001000 | 2500  | 2546  | 552  | 552  | 2490 | 0     | 108 |
| 80502002000 | 2600  | 2646  | 585  | 586  | 2490 | 0     | 112 |
| 80502003000 | 2650  | 2696  | 602  | 602  | 2490 | 0     | 114 |
| 80502004000 | 2700  | 2746  | 618  | 620  | 2490 | 0     | 116 |
| 80502005000 | 2800  | 2846  | 652  | 652  | 2490 | 0     | 120 |
| 80502006000 | 3000  | 3046  | 648  | 860  | 2490 | 0     | 128 |

Each kit is reducible by 200mm (100mm on the top and 100mm on the bottom)

MAGNA<sup>2</sup>



THIRIET  
HANDLE CONFIGURATION




| Code Lokhen | HK* mm | HT mm | HD mm | L mm | LOCKS | Kg  |
|-------------|--------|-------|-------|------|-------|-----|
| 80502200000 | 2565   | 2400  | 2446  | 2490 | 4     | 140 |
| 80502201000 | 2665   | 2500  | 2546  | 2490 | 4     | 144 |
| 80502202000 | 2765   | 2600  | 2646  | 2490 | 4     | 148 |
| 80502203000 | 2815   | 2650  | 2696  | 2490 | 4     | 150 |
| 80502204000 | 2865   | 2700  | 2746  | 2490 | 4     | 152 |
| 80502205000 | 2965   | 2800  | 2846  | 2490 | 4     | 156 |
| 80502206000 | 3165   | 3000  | 3046  | 2490 | 4     | 164 |

\*Value for Assembled door only

MAGNA<sup>2</sup>



PASTORE & LOMBARDI  
HANDLE CONFIGURATION



| Code Lokhen | HK* mm | HT mm | HD mm | L mm | LOCKS | Kg    |
|-------------|--------|-------|-------|------|-------|-------|
| 80502100000 | 2557   | 2400  | 2446  | 2490 | 4     | 140,5 |
| 80502101000 | 2657   | 2500  | 2546  | 2490 | 4     | 144,5 |
| 80502102000 | 2757   | 2600  | 2646  | 2490 | 4     | 148,5 |
| 80502103000 | 2807   | 2650  | 2696  | 2490 | 4     | 150,5 |
| 80502104000 | 2857   | 2700  | 2746  | 2490 | 4     | 152,5 |
| 80502105000 | 2957   | 2800  | 2846  | 2490 | 4     | 156,5 |
| 80502106000 | 3157   | 3000  | 3046  | 2490 | 4     | 164,5 |

\*Value for Assembled door only

MAGNA<sup>2</sup> - ACCESSORIES

Kit cardini a saldare in acciaio inox / Stainless steel weld-on hinge kit /  
Edelstahl-Anschweißbänder-SetStahlscharniere

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)

| Code Lokhen | Kg   |
|-------------|------|
| 8059006000  | 3,34 |

Code  
8059006000



Kit cardine a saldare in acciaio / Steel hinge to be welded / Scharniersatz aus Stahl zum Anschweißen

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)

| Code Lokhen | Kg   |
|-------------|------|
| 8059006100  | 3,34 |

Code  
8059006100




MAGNA<sup>2</sup> - ACCESSORIES

Kit cerniera in alluminio A RIVETTARE - Opzionale / Aluminium hinge kit TO BE RIVETED - Optional  
/ Scharniersatzprofil ZUM NIETEN - Optional

Each kit includes

- Aluminium hinge profile to rivet (x2)
- Round drilled bars Ø8 (x2)
- Elastic pins 5x30mm (x4)




| Code Lokhen | H mm | HD mm | Kg   |
|-------------|------|-------|------|
| 8059006200  | 2400 | 2446  | 12,6 |
| 8059006300  | 2500 | 2546  | 13,1 |
| 8059006400  | 2600 | 2646  | 13,6 |
| 8059006500  | 2650 | 2696  | 13,9 |
| 8059006600  | 2700 | 2746  | 14,1 |
| 8059006700  | 2800 | 2846  | 14,7 |
| 8059006800  | 3000 | 3046  | 15,7 |

KNOCK

- EN
- Disassembled aluminum doors for trailers and semi-trailers
- IT
- Porte in alluminio disassemblata per rimorchi e semirimorchi
- DE
- Demontierte Aluminiumtür für Anhänger und Sattelaufleger

Knock

TWO WINGS  
SIMPLE HINGE




Save  
space  
-70%

in your  
warehouse



The disassembled door kit includes:

- Wing profiles (x8)
- Header profiles (x4)
- Locking kits (x4 or x2)
- Seals (x1)



| Code Lokhen | HK* mm | HD mm | HT mm | A mm | B mm | LOCKS | Kg  |
|-------------|--------|-------|-------|------|------|-------|-----|
| 80500100000 | 2549   | 2432  | 2400  | 481  | 480  | 4     | 98  |
| 80500101000 | 2649   | 2532  | 2500  | 514  | 514  | 4     | 101 |
| 80500102000 | 2749   | 2632  | 2600  | 547  | 548  | 4     | 105 |
| 80500103000 | 2799   | 2682  | 2650  | 564  | 564  | 4     | 122 |
| 80500104000 | 2849   | 2732  | 2700  | 581  | 580  | 4     | 124 |
| 80500105000 | 2949   | 2832  | 2800  | 614  | 614  | 4     | 129 |
| 80500106000 | 3049   | 2932  | 2900  | 646  | 650  | 4     | 133 |
| 80500107000 | 3149   | 3032  | 3000  | 677  | 688  | 4     | 137 |
| 80500108000 | 3229   | 3132  | 3100  | 710  | 722  | 4     | 141 |

Each kit is reducible by 100mm (50mm on the top and 50mm on the bottom)

KNOCK - ACCESSORIES

Kit cardine a montare in acciaio / Steel hinge mounting kit / Montagesatz für Stahlscharniere

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)
- Countersunk screws (x16)

| Code Lokhen | Kg  |
|-------------|-----|
| 8059002000  | 2,3 |



Kit cardine a saldare in acciaio / Steel hinge to be welded / Scharniersatz aus Stahl zum Anschweißen

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)

| Code Lokhen | Kg  |
|-------------|-----|
| 8059002100  | 2,1 |



KNOCK 4

EN Disassembled aluminum doors for trailers and semi-trailers  
IT Porte in alluminio disassemblata per rimorchi e semirimorchi  
DE Demontierte Aluminiumtür für Anhänger und Sattelaufleger

Knock 4  
FOUR WINGS  
SIMPLE HINGE



B-FOLD OPENING SYSTEM


Save space  
the  
-70%

in your  
warehouse



The disassembled door kit includes:

- Door leaf kit (x2)
- Door handle kit (x4)



| Code Lokhen | HK* mm | HD mm | HT mm | A mm | B mm | LOCKS | Kg    |
|-------------|--------|-------|-------|------|------|-------|-------|
| 80540100000 | 2549   | 2432  | 2400  | 481  | 480  | 4     | 102   |
| 80540101000 | 2649   | 2532  | 2500  | 514  | 514  | 4     | 106,5 |
| 80540102000 | 2749   | 2632  | 2600  | 547  | 548  | 4     | 111   |
| 80540103000 | 2799   | 2682  | 2650  | 564  | 564  | 4     | 113   |
| 80540104000 | 2849   | 2732  | 2700  | 581  | 580  | 4     | 115   |
| 80540105000 | 2949   | 2832  | 2800  | 614  | 614  | 4     | 119   |
| 80540106000 | 3049   | 2932  | 2900  | 646  | 650  | 4     | 123   |
| 80540107000 | 3149   | 3032  | 3000  | 677  | 688  | 4     | 128   |
| 80540108000 | 3229   | 3132  | 3100  | 710  | 722  | 4     | 132   |

Each kit is reducible by 100mm (50mm on the top and 50mm on the bottom)

KNOCK 4 - ACCESSORIES

Kit cardine a montare in acciaio / Steel hinge mounting kit / Montagesatz für Stahlscharniere

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)
- Countersunk screws (x16)

| Code Lokhen | Kg  |
|-------------|-----|
| 8059002000  | 2,3 |



Kit cardine a saldare in acciaio / Steel hinge to be welded / Scharniersatz aus Stahl zum Anschweißen

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)


| Code Lokhen | Kg  |
|-------------|-----|
| 8059002100  | 2,1 |



BOUNCE


EN Disassembled aluminum doors for trailers and semi-trailers  
IT Porte in alluminio disassemblata per rimorchi e semirimorchi  
DE Demontierte Aluminiumtür für Anhänger und Sattelaufleger

Bounce  
TWO WINGS  
DOUBLE HINGE




Save  
space  
-70%

in your  
warehouse



The disassembled door kit includes:


- Wing profiles (x8)
- Header profiles (x4)
- Locking kits (x4 or x2)
- Seals (x1)



| Code Lokhen | HK* mm | HD mm | HT mm | A mm  | B mm | LOCKS | Kg    |
|-------------|--------|-------|-------|-------|------|-------|-------|
| 80501100000 | 2549   | 2432  | 2400  | 510   | 509  | 4     | 100   |
| 80501101000 | 2649   | 2532  | 2500  | 543   | 543  | 4     | 104   |
| 80501102000 | 2749   | 2632  | 2600  | 576   | 577  | 4     | 108   |
| 80501103000 | 2799   | 2682  | 2650  | 593   | 593  | 4     | 126,5 |
| 80501104000 | 2849   | 2732  | 2700  | 610   | 609  | 4     | 128   |
| 80501105000 | 2949   | 2832  | 2800  | 643   | 643  | 4     | 132   |
| 80501106000 | 3049   | 2932  | 2900  | 653,5 | 722  | 4     | 136   |
| 80501107000 | 3149   | 3032  | 3000  | 653,5 | 822  | 4     | 139   |
| 80501108000 | 3229   | 3132  | 3100  | 678,5 | 872  | 4     | 143   |

Each kit is reducible by 100mm (50mm on the top and 50mm on the bottom)

TELESCOPIC SYSTEM



BOUNCE - ACCESSORIES

Kit cardine a montare in acciaio / Steel hinge mounting kit / Montagesatz für Stahlscharniere

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)
- Countersunk screws (x16)

| Code Lokhen | Kg   |
|-------------|------|
| 8059004000  | 1,68 |



Code 8059004000

BOUNCE - ACCESSORIES

Kit cardine a saldare in acciaio / Steel hinge to be welded / Scharniersatz aus Stahl zum Anschweißen

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)

| Code Lokhen | Kg   |
|-------------|------|
| 8059004100  | 2,88 |


Code 8059004100



Kit cerniera in alluminio A RIVETTARE - Opzionale / Aluminium hinge kit TO BE RIVETED - Optional / Scharniersatzprofil ZUM NIETEN - Optional

Each kit includes

- Aluminium hinge profile to rivet (x2)
- Round drilled bars Ø12 (x2)
- Elastic pins 4x20mm (x8)



| Code Lokhen | H mm | HD mm | Kg    |
|-------------|------|-------|-------|
| 8059004200  | 2397 | 2432  | 11,54 |
| 8059004300  | 2497 | 2532  | 12,04 |
| 8059004400  | 2597 | 2632  | 12,52 |
| 8059004500  | 2647 | 2682  | 12,76 |
| 8059004600  | 2697 | 2732  | 13,02 |
| 8059004700  | 2797 | 2832  | 13,54 |
| 8059004800  | 2897 | 2932  | 14,18 |
| 8059004900  | 2997 | 3032  | 14,50 |
| 8059005000  | 3097 | 3132  | 15,04 |

BOUNCE 4


EN Disassembled aluminum doors for trailers and semi-trailers  
IT Porte in alluminio disassemblata per rimorchi e semirimorchi  
DE Demontierte Aluminiumtür für Anhänger und Sattelaufleger

Bounce 4  
FOUR WINGS  
DOUBLE HINGE




Save the space  
-70%

in your warehouse



The disassembled door kit includes:  
• Door leaf kit (x2) • Door handle kit (x4)



| Code Lokhen | HK* mm | HD mm | HT mm | A mm  | B mm | LOCKS | Kg    |
|-------------|--------|-------|-------|-------|------|-------|-------|
| 80541100000 | 2549   | 2432  | 2400  | 510   | 509  | 4     | 106,5 |
| 80541101000 | 2649   | 2532  | 2500  | 543   | 543  | 4     | 111   |
| 80541102000 | 2749   | 2632  | 2600  | 576   | 577  | 4     | 115   |
| 80541103000 | 2799   | 2682  | 2650  | 593   | 593  | 4     | 117   |
| 80541104000 | 2849   | 2732  | 2700  | 610   | 609  | 4     | 119,5 |
| 80541105000 | 2949   | 2832  | 2800  | 643   | 643  | 4     | 124   |
| 80541106000 | 3049   | 2932  | 2900  | 653,5 | 722  | 4     | 128   |
| 80541107000 | 3149   | 3032  | 3000  | 653,5 | 822  | 4     | 133   |
| 80541108000 | 3229   | 3132  | 3100  | 678,5 | 872  | 4     | 137   |

Each kit is reducible by 100mm (50mm on the top and 50mm on the bottom)

BOUNCE 4 - ACCESSORIES

Kit cardine a montare in acciaio / Steel hinge mounting kit / Montagesatz für Stahlscharniere

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)
- Countersunk screws (x16)

| Code Lokhen | Kg   |
|-------------|------|
| 8059004000  | 1,68 |



Kit cardine a saldare in acciaio / Steel hinge to be welded / Scharniersatz aus Stahl zum Anschweißen

Each kit includes

- Steel hinges (x8)
- Nuts (x8)
- Bolts (x8)

| Code Lokhen | Kg   |
|-------------|------|
| 8059004100  | 2,88 |




BOUNCE 4 - ACCESSORIES

Kit cerniera in alluminio A RIVETTARE - Opzionale / Aluminium hinge kit TO BE RIVETED - Optional  
/ Scharniersatzprofil ZUM NIETEN - Optional

Each kit includes

- Aluminium hinge profile to rivet (x2)
- Round drilled bars Ø12 (x2)
- Elastic pins 4x20mm (x8)



| Code Lokhen | H mm | HD mm | Kg    |
|-------------|------|-------|-------|
| 8059004200  | 2397 | 2432  | 11,54 |
| 8059004300  | 2497 | 2532  | 12,04 |
| 8059004400  | 2597 | 2632  | 12,52 |
| 8059004500  | 2647 | 2682  | 12,76 |
| 8059004600  | 2697 | 2732  | 13,02 |
| 8059004700  | 2797 | 2832  | 13,54 |
| 8059004800  | 2897 | 2932  | 14,18 |
| 8059004900  | 2997 | 3032  | 14,50 |
| 8059005000  | 3097 | 3132  | 15,04 |

NOTE

Horizontal lines for notes.



## LOKHEN GROUP

 Via Alberto Manicone | 75100 Matera - Italy

 +39 08351795000  [info@lokhen.com](mailto:info@lokhen.com)

 [lokhengroup.com](http://lokhengroup.com) | [lokhen.com](http://lokhen.com) | [autocar.it](http://autocar.it) | [lokvan.com](http://lokvan.com)

006026030

